

Untitled

COMMONWEALTH OF MASSACHUSETTS

DEPARTMENT OF TELECOMMUNICATIONS AND ENERGY

D. T. E. No. 98-57

REQUEST: Department of Telecommunications and Energy's Record Requests to AT&T Communications of New England, Inc.

DATED: January 7, 2000

RR-28: On page 18, lines 9-14 of Tom LoFrisco's direct testimony, Mr. LoFrisco states that "BA-MA should clarify the description of unbundled common transport by affirming that this element can be unbundled from all other elements." Please provide a suggested revision for the tariff provision referenced in this statement.

Respondent: Tom LoFrisco

RESPONSE: Part B, Section 2.1.1.A.1 currently reads: "Unbundled common (shared) IOF transport is provided in conjunction with unbundled switching identified in this tariff under Part B, Section 5 and Section 7."

This section should read, "Unbundled common (shared) IOF transport may be provided in conjunction with unbundled switching identified in this tariff under Part B, Section 5 and Section 7. Unbundled common (shared) IOF may also be provided as a separate unbundled element."

COMMONWEALTH OF MASSACHUSETTS

DEPARTMENT OF TELECOMMUNICATIONS AND ENERGY

D. T. E. No. 98-57

REQUEST: Department of Telecommunications and Energy's Record Requests to AT&T Communications of New England, Inc.

Untitled

DATED: January 7, 2000

RR-24: How many collocation arrangements have been completed by Bell Atlantic in Massachusetts for use by AT&T?

Respondent: Denise Henderson

RESPONSE: AT&T's records reflect that during the period 1998-1999, Bell Atlantic has completed work on over 80 collocation applications submitted by AT&T, some of which were applications for augments to existing arrangements.

COMMONWEALTH OF MASSACHUSETTS

DEPARTMENT OF TELECOMMUNICATIONS AND ENERGY

D. T. E. No. 98-57

REQUEST: Department of Telecommunications and Energy's Record Requests to AT&T Communications of New England, Inc.

DATED: January 7, 2000

RR-25: Was AT&T offered cageless or SCOPE by Bell Atlantic in its Westborough office at any time?

Respondent: Denise Henderson

RESPONSE: AT&T's records do not reflect that Bell Atlantic at any time offered AT&T cageless or SCOPE collocation at the Westborough office.

COMMONWEALTH OF MASSACHUSETTS

DEPARTMENT OF TELECOMMUNICATIONS AND ENERGY

Untitled

D. T. E. No. 98-57

REQUEST: Department of Telecommunications and Energy's Record Requests to AT&T Communications of New England, Inc.

DATED: January 7, 2000

RR-26: On page 12 of Denise Henderson's testimony, Ms. Henderson indicated that Bell Atlantic had incorrectly provisioned two-wire loops where AT&T had requested four-wire loops. Provide documentation relating to these instances. Include the locations of the four Massachusetts offices where problems occurred.

Respondent: Denise Henderson

RESPONSE: AT&T has attached copies of four e-mails, dated October 18, 1999, sent from Carol R. Ledonne of Bell Atlantic to Lori Stoddard and Denise Henderson of AT&T, discussing this provisioning problem. The problems occurred in Wal tham, Brockton, Framingham and Hingham.